

Vehicle Wash

Cars Trains Buses Trucks

Pumps and Accessories



PERFORMANCE
**UNDER
PRESSURE**

GIANT



Car Wash Pumps



Built to last for the carwash market

Giant Pumps has been washing cars and trucks for over 20 years. Many of the original pumps continue to run with new parts and service from people that know a little care gives them years of returns which means more money and time to do the things they want.

Giant Pumps have been designed with more than just great seals and concentric solid ceramic plungers and one piece cartridge seals (although we have that too). **Giant** pumps have been designed to give you **TIME**.

TIME to enjoy the fruits of your labor.

TIME so that when repairs are necessary, you won't spend all day fixing the pump.

Giant wants you to reach your goals. We have a lifetime guarantee on the manifold because you deserve assurance that your pump will last a lifetime. **Giant** guarantees performance on all other moving metal parts (both gear and fluid end) from defects for a period of five years. When parts do need replacing, **Giant** supports its distributors with millions of dollars worth of inventory so that your downtime does not create money problems.

Take a look at the pumps and accessories. Anyone can supply flow and pressure. We want your experience with high pressure pumps and accessories to be rewarding for you.

You will know you've made the right choice with a **Giant** product.

Thank you for your interest.

Your Giant Team!




Lifetime **Warranty***

Giant Industries, Inc. pumps and accessories are warranted by the manufacturer to be free from defects in workmanship and materials as follows:


Pumps used in self-service car wash applications are warranted for Five Years. Lifetime warranty on all manifolds that fail due to freezing and erosion.

*See Giant Industries Limited Warranty




P46W

3.9 GPM @ 2175 PSI
1420 RPM
5.8 BHP
Pulley Drive



P200 Series

4.7 GPM @ 2000 PSI
1750 RPM
6.4 BHP
Direct or Pulley Drive




P318

5.5 GPM @ 2000 PSI
7.6 BHP
Pulley Drive


Car Wash Pumps

PERFORMANCE
**UNDER
PRESSURE**
GIANT




P56W

6.1 GPM @ 1900 PSI
1420 RPM
8.0 BHP
Pulley Drive



P59 Series

7.5 GPM @ 1900 PSI
1450 RPM
9.8 BHP
Belt Drive




P420

13 GPM @ 1740 PSI
1450 RPM
15.6 BHP
Pulley Drive


MP4130

15.4 GPM @ 1600 PSI
1085 RPM
17 BHP
Pulley Drive



P470


18.5 GPM @ 1000 PSI
1450 RPM
12.8 BHP
Pulley Drive



LPI22


LPI23

35.4 GPM @ 1300 PSI
800 RPM
31.7 BHP
Pulley Drive



GP7255A

65.8 GPM @ 1500 PSI
68 BHP
Pulley Drive



Car Wash Accessories

PERFORMANCE
**UNDER
PRESSURE
GIANT**




Shut-Off Guns

Model Number	GPM	PSI	Temp (F)	Discharge Fitting	Inlet (FNPT)	Outlet (FNPT)	Weight (LBS.)
21250B	10	5000	300	S.S.	3/8"	1/4"	1.8
21255B weep	10	5000	300	S.S.	3/8"	1/4"	1.8
21290B	10	5000	300	Brass	3/8"	1/4"	1.8
21265 weep	10	5000	300	Brass	3/8"	1/4"	1.8
21295B weep	10	5000	300	Steel	3/8"	1/4"	1.8
21260	10	5000	300	Brass	3/8"	1/4"	1.8



Lances with grips

Model Number	Description	PSI	Temp (°F)	Weight (LBS.)
21723A	15-1/2" S.S Lance, (1/4" MNPT)	3600	300	1.4
21762	35-1/2" S.S Lance (w/30 bend)	3600	300	1.4
21721A	35-1/2" S.S Lance, (1/4" MNPT)	3600	300	1.5



Unloaders

Model Number	GPM	PSI	Temp (°F)	Fitting	Inlet (FNPT)	Bypass (FNPT)	Weight (LBS.)
22760A	8	3000	160	3/8"	3/8"	1/4"	2.1
22910A	13	800	160	1/2"	1/2"	1/2"	2.8
22911A	13	1400	160	1/2"	1/2"	1/2"	2.8
22971C	35.7	1740	160	3/4"	3/4"	3/4"	6.7
22948	60	1600	160	1"	1"	1"	17.5



Pulsation Dampners

Model Number	Description	Flow (GPM)	Pressure (PSI)	Temp (°F)	Weight (LBS.)
22050	Pulsation Dampner, 303 S.S	12	3000	200	3.0
22155	Pulsation Dampner, 303 S.S	30	3000	200	3.0



Model Number	Description	Nozzle Size	Pressure (PSI)	Temp (°F)	Weight (LBS.)
22040	Turbo Laser, 3600 PSI	2.0-10.0	3600	212	0.7
22060	Turbo Laser, 5100 PSI	2.0-12.0	5100	212	1.8
22700	Oscillating Turbo Laser	3.0-5.5	3600	212	1.4